

Site Radon Inspection Report

Date : 08/17/2016

Mr. Jeff Hayes
TOP NOTCH HOME INSPECTION
16415 Wayne Drive
Oregon City, OR 97045-

Client: Middle School code# 95C
Test Location: 38749 Northeast Beech Street
Scio, OR 97374-

Individual Canister Results

Canister ID# : 2452144
Canister Type : Charcoal Canister 3 inch
Location : MS9
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 08/12/2016 @ 10:52
Test Stop : 08/15/2016 @ 09:37
Received: 08/17/2016 @ 10:03
Analyzed: 08/19/2016 @ 10:46

Canister ID# : 2452782
Canister Type : Charcoal Canister 3 inch
Location : BLANK
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 08/12/2016 @ 10:39
Test Stop : 08/15/2016 @ 10:39
Received: 08/17/2016 @ 10:03
Analyzed: 08/18/2016 @ 15:32

Canister ID# : 2452787
Canister Type : Charcoal Canister 3 inch
Location : MSL8
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 08/12/2016 @ 10:48
Test Stop : 08/15/2016 @ 09:36
Received: 08/17/2016 @ 10:03
Analyzed: 08/18/2016 @ 16:08

Canister ID# : 2452796
Canister Type : Charcoal Canister 3 inch
Location : MSDO
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 08/12/2016 @ 10:36
Test Stop : 08/15/2016 @ 09:27
Received: 08/17/2016 @ 10:03
Analyzed: 08/18/2016 @ 16:27

Canister ID# : 2466087
Canister Type : Charcoal Canister 3 inch
Location : MSG25
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 08/12/2016 @ 11:06
Test Stop : 08/15/2016 @ 09:46
Received: 08/17/2016 @ 10:04
Analyzed: 08/18/2016 @ 15:32

Canister ID# : 2467639
Canister Type : Charcoal Canister 3 inch
Location : MS7
Radon Level : 0.7 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 08/12/2016 @ 10:45
Test Stop : 08/15/2016 @ 09:33
Received: 08/17/2016 @ 10:03
Analyzed: 08/18/2016 @ 16:27



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 08/17/2016

Mr. Jeff Hayes
TOP NOTCH HOME INSPECTION
16415 Wayne Drive
Oregon City, OR 97045-

Client: Middle School code# 95C
Test Location: 38749 Northeast Beech Street
Scio, OR 97374-

Individual Canister Results

Canister ID# : 2468040 Test Start : 08/12/2016 @ 10:42
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:32
Location : MS5 Received: 08/17/2016 @ 10:03
Radon Level : 0.4 pCi/L Analyzed: 08/19/2016 @ 10:46
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2468053 Test Start : 08/12/2016 @ 10:57
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:39
Location : MSCO Received: 08/17/2016 @ 10:03
Radon Level : 0.4 pCi/L Analyzed: 08/18/2016 @ 15:50
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2468060 Test Start : 08/12/2016 @ 10:55
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:39
Location : MSSR Received: 08/17/2016 @ 10:03
Radon Level : 0.5 pCi/L Analyzed: 08/18/2016 @ 16:08
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2468062 Test Start : 08/12/2016 @ 11:06
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:45
Location : MSGIN Received: 08/17/2016 @ 10:03
Radon Level : 0.5 pCi/L Analyzed: 08/18/2016 @ 16:48
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2469926 Test Start : 08/12/2016 @ 11:06
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:46
Location : MSG25 Received: 08/17/2016 @ 10:04
Radon Level : 0.1 pCi/L Analyzed: 08/19/2016 @ 11:05
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2469946 Test Start : 08/12/2016 @ 11:00
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:48
Location : MSK Received: 08/17/2016 @ 10:03
Radon Level : 0.4 pCi/L Analyzed: 08/18/2016 @ 16:27
Error for Measurement is: \pm 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201



Site Radon Inspection Report

Date : 08/17/2016

Mr. Jeff Hayes
TOP NOTCH HOME INSPECTION
16415 Wayne Drive
Oregon City, OR 97045-

Client: Middle School code# 95C
Test Location: 38749 Northeast Beech Street
Scio, OR 97374-

Individual Canister Results

Canister ID# : 2482328 Test Start : 08/12/2016 @ 10:56
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:40
Location : MS11 Received: 08/17/2016 @ 10:03
Radon Level : 0.6 pCi/L Analyzed: 08/18/2016 @ 16:48
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2482347 Test Start : 08/12/2016 @ 10:54
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:38
Location : MS10 Received: 08/17/2016 @ 10:03
Radon Level : 0.5 pCi/L Analyzed: 08/18/2016 @ 15:32
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2482348 Test Start : 08/12/2016 @ 10:50
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:37
Location : MSCR Received: 08/17/2016 @ 10:03
Radon Level : 0.4 pCi/L Analyzed: 08/18/2016 @ 16:27
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2482406 Test Start : 08/12/2016 @ 10:40
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:30
Location : MS3 Received: 08/17/2016 @ 10:03
Radon Level : 0.1 pCi/L Analyzed: 08/19/2016 @ 11:05
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2482413 Test Start : 08/12/2016 @ 10:58
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:43
Location : MSGL Received: 08/17/2016 @ 10:03
Radon Level : 1.0 pCi/L Analyzed: 08/18/2016 @ 16:27
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2482414 Test Start : 08/12/2016 @ 11:02
Canister Type : Charcoal Canister 3 inch Test Stop : 08/15/2016 @ 09:49
Location : MSBL Received: 08/17/2016 @ 10:03
Radon Level : 0.6 pCi/L Analyzed: 08/18/2016 @ 15:32
Error for Measurement is: \pm 0.3 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201



Site Radon Inspection Report

Date : 08/17/2016

Mr. Jeff Hayes
TOP NOTCH HOME INSPECTION
16415 Wayne Drive
Oregon City, OR 97045-

Client: Middle School code# 95C
Test Location: 38749 Northeast Beech Street
Scio, OR 97374-

Individual Canister Results

Canister ID# :	2482418	Test Start :	08/12/2016 @ 10:41
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:30
Location :	MS4	Received:	08/17/2016 @ 10:03
Radon Level :	0.1 pCi/L	Analyzed:	08/18/2016 @ 16:08
Error for Measurement is: ±	0.2 pCi/L		

Canister ID# :	2482420	Test Start :	08/12/2016 @ 11:03
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:49
Location :	MSCOR	Received:	08/17/2016 @ 10:03
Radon Level :	0.5 pCi/L	Analyzed:	08/18/2016 @ 15:50
Error for Measurement is: ±	0.3 pCi/L		

Canister ID# :	2482422	Test Start :	08/12/2016 @ 10:47
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:35
Location :	MS0P	Received:	08/17/2016 @ 10:03
Radon Level :	0.1 pCi/L	Analyzed:	08/19/2016 @ 11:05
Error for Measurement is: ±	0.6 pCi/L		

Canister ID# :	2482432	Test Start :	08/12/2016 @ 10:47
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:35
Location :	MS0	Received:	08/17/2016 @ 10:03
Radon Level :	0.5 pCi/L	Analyzed:	08/18/2016 @ 16:08
Error for Measurement is: ±	0.2 pCi/L		

Canister ID# :	2482434	Test Start :	08/12/2016 @ 10:36
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:28
Location :	DOS	Received:	08/17/2016 @ 10:03
Radon Level :	0.3 pCi/L	Analyzed:	08/18/2016 @ 16:08
Error for Measurement is: ±	0.2 pCi/L		

Canister ID# :	2482436	Test Start :	08/12/2016 @ 10:57
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:40
Location :	MS12	Received:	08/17/2016 @ 10:03
Radon Level :	0.4 pCi/L	Analyzed:	08/18/2016 @ 16:48
Error for Measurement is: ±	0.2 pCi/L		



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 08/17/2016

Mr. Jeff Hayes
TOP NOTCH HOME INSPECTION
16415 Wayne Drive
Oregon City, OR 97045-

Client: Middle School code# 95C
Test Location: 38749 Northeast Beech Street
Scio, OR 97374-

Individual Canister Results

Canister ID# :	2482448	Test Start :	08/12/2016 @ 10:48
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:36
Location :	MSL8	Received:	08/17/2016 @ 10:03
Radon Level :	0.1 pCi/L	Analyzed:	08/19/2016 @ 10:46
Error for Measurement is:	± 0.5 pCi/L		

Canister ID# :	2482449	Test Start :	08/12/2016 @ 10:43
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:33
Location :	MS6	Received:	08/17/2016 @ 10:03
Radon Level :	0.5 pCi/L	Analyzed:	08/18/2016 @ 15:32
Error for Measurement is:	± 0.2 pCi/L		

Canister ID# :	2482452	Test Start :	08/12/2016 @ 10:39
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:29
Location :	MS2	Received:	08/17/2016 @ 10:03
Radon Level :	0.2 pCi/L	Analyzed:	08/18/2016 @ 16:27
Error for Measurement is:	± 0.3 pCi/L		

Canister ID# :	2490340	Test Start :	08/12/2016 @ 11:05
Canister Type :	Charcoal Canister 3 inch	Test Stop :	08/15/2016 @ 09:47
Location :	MSST	Received:	08/17/2016 @ 10:03
Radon Level :	0.2 pCi/L	Analyzed:	08/18/2016 @ 16:08
Error for Measurement is:	± 0.2 pCi/L		



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201



Site Radon Inspection Report

Date : 08/17/2016

Mr. Jeff Hayes
TOP NOTCH HOME INSPECTION
16415 Wayne Drive
Oregon City, OR 97045-

Client: Middle School code# 95C
Test Location: 38749 Northeast Beech Street
Scio, OR 97374-
Individual Canister Results

The reported results indicate that radon levels in the building tested are below the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends retesting if your living patterns change and you begin occupying a lower level of the building, such as a basement or if major remodeling is done.

General radon information may be obtained by consulting the EPA booklet: A Citizen's Guide to Radon (www.epa.gov/radon/pubs/citguide.html). To request a copy or for further information, please contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or it's consultants based on RTCA-provided results.



Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201