

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/18/2025
Time: 0916
By: Phil
Lab #: 20251121-032
Location: Centennial Modular Rm sink ~~NEW~~

Lab Receipt Information

11/21/2025
0901
SW

21030103 - 002CF

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA-"Methods for Chemical Analysis for Water and Wastes", USEPA


MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0900

By: Phil

Lab #: 20251121-015

Location: Centennial Breakroom NE sink 21030100 127BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	ber

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0910

By: Phil

Lab #: 20251121-014

Location: Centennial East Behavior Rm Sink 21030100 128SF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA-"Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0905

By: Phil

Lab #: 20251121-013

Location: Centennial Teachers Main Break Room sink 21030100 125SF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"


* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/18/2025

Time: 0910

By: Phil

Lab #: 20251121-033

Location: Centennial Modular Bathroom sink 21030103 001 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA


MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/09/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 1000

By: Phil

Lab #: 20251121-006

Location: Centennial POD A Girls Bathroom 21030100 ~~301~~ BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 1005

By: Phil

Lab #: 20251121-008

Location: Centennial POD A Boys Bathroom 21030100 111BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	ber

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0954

By: Phil

Lab #: 20251121-009

Location: Centennial POD B Girls Bathroom 21030100 222BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0947

By: Phil

Lab #: 20251121-011

Location: Centennial POD B Boys Bathroom 21030100 333BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bern

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/09/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0925

By: Phil

Lab #: 20251121-007

Location: Centennial POD C Boys Bathroom 21030100 444 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA


MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0940

By: Phil

Lab #: 20251121-010

Location: Centennial POD C Girls Bathroom 21030100 555BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bern

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0921

By: Phil

Lab #: 20251121-012

Location: Centennial Office Copy Rm sink 21030100 122SF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/18/2025

Time: 0903

By: Phil

Lab #: 20251121-031

Location: Centennial Outside West Bathroom sink 21030301 001 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/18/2025

Time: 0858

By: Phil

Lab #: 20251121-030

Location: Centennial East Outside Bathroom sink 21030301 002 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/18/2025

Time: 0848

By: Phil

Lab #: 20251121-034

Location: Centennial Kitchen Produce sink 21030101 003 KF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA


MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/09/2025

SCISCH

PO#:

Collection Information

Date: 11/18/2025

Time: 0842

By: Phil

Lab #: 20251121-019

Location: Centennial Cafeteria Kitchen sk Handwash sk 21030101 004 KF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/18/2025

Time: 0836

By: Phil

Lab #: 20251121-018

Location: Centennial Cafeteria Dish Kitchen sink 21030101 005 KF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/24/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/18/2025
Time: 0817
By: Phil
Lab #: 20251121-035
Location: Centennial Kitchen Pot sink 21030101 006 KF

Lab Receipt Information

11/21/2025
0901
SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0920

By: Phil

Lab #: 20251121-036

Location: Centennial Office Bathroom sink 21030100 123 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0855

By: Phil

Lab #: 20251121-037

Location: Centennial Office Breakroom NW Bath sink 21030100 126 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/14/2025

Time: 0916

By: Phil

Lab #: 20251121-038

Location: Centennial Office Drinking Fountain 21030100 124 DW

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	ber

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0940

By: Phil

Lab #: 20251121-039

Location: Centennial Gym Bottle Filler Fountain 21030101 ~~20~~WB

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA-"Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0925

By: Phil

Lab #: 20251121-040

Location: Centennial Cafeteria Hand sink #2 21030101 008 OT

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/09/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0919

By: Phil

Lab #: 20251121-043

Location: Centennial Cafeteria Handsink #1 21030101 007 OT

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"


* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0935

By: Phil

Lab #: 20251121-042

Location: Centennial Cafeteria Handsink #4 21030101 010 OT

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bem

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025
Time: 0946
By: Phil
Lab #: 20251121-044
Location: Centennial Reading Rm sink 21030101021CF

Lab Receipt Information

11/21/2025
0901
SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	ber

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA


MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0933

By: Phil

Lab #: 20251121-045

Location: Centennial Cafeteria Drinking Fountain 21030101 011 DW

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0926

By: Phil

Lab #: 20251121-076

Location: Centennial Playshed Cafeteria Hand sink #3 21030101 009 OT

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/8/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 1009

By: Phil

Lab #: 20251121-075

Location: Centennial Playshed Boys Middle Bath sink 2103061 017BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/8/2025	bern

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA-"Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025
Time: 1007
By: Phil
Lab #: 20251121-077
Location: Centennial Playshed Right Boys Restroom sink 21030101 018BF

Lab Receipt Information

11/21/2025
0901
SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/8/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025
Time: 0955
By: Phil

Lab #: 20251121-078

Location: Centennial Playshed Left Boys Bath Sink 21030101 016 BF

Lab Receipt Information

11/21/2025
0901
SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/8/2025	ber

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 1002

By: Phil

Lab #: 20251121-041

Location: Centennial Cafeteria Boys Bath Handicapped 2103001 019 BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	11/25/2025	bern

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0724

By: Phil

Lab #: 20251121-073

Location: Centennial Cafeteria Girls Bath Right Sink 21030101 012BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/8/2025	bem

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025
SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0729

By: Phil

Lab #: 20251121-074

Location: Centennial Playshed Girls Bath Middle sink 21030101 ~~001~~ BF

Lab Receipt Information

11/21/2025

0901

SW

013

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/8/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA-"Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____

TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025

Time: 0735

By: Phil

Lab #: 20251121-072

Location: Centennial Playshed Girls Bath Left sink 21030101 014BF

Lab Receipt Information

11/21/2025

0901

SW

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/1/2025	bem

ND- No Detection at @ MRL

SM-"Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis for Water and Wastes", USEPA

MRL-"Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: _____



TEST REPORT

2603 - 12th Street, SE
Salem, OR 97302
Voice: (503) 363-0473
FAX: (503) 363-8900

TO: Scio School District
38875 N 1st Ave
Scio, OR 97374

12/9/2025

SCISCH

PO#:

Collection Information

Date: 11/13/2025
Time: 0740
By: Phil

Lab Receipt Information

11/21/2025
0901
SW

Lab #: 20251121-071
Location: Centennial Playshed Girls Bath Handicapped 21030101 ~~0148~~ *015BF*

Case Narrative

The analyses were performed according to the guidelines in the WATERLAB Corp Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory. This report shall not be reproduced except in full without permission in writing.

WATERLAB Corp certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Analyte	Method	Acc*	Results	Qual	MRL	Units	EPA Limit	Analysis	
								Date Time	Tech
Lead / Schools	SM3113 B	A	ND		1	ppb	15	12/1/2025	bern

ND- No Detection at @ MRL

SM- "Standard Methods for the Examination of Water & Wastewater", 20th ed

EPA- "Methods for Chemical Analysis of Water and Wastes", USEPA

MRL- "Method Reporting Limit"

* Accreditation

A- Waterlab Corporation, ORELAP 100039

The results relate only to the parameters tested or to the sample as received by the laboratory.

This report shall not be reproduced except in full, without the written approval of Waterlab Corporation.

Approved by: 